

LIGUE DOUBLETTE BC PLAISIR



HUILAGE LIGUE 2026 – 2027



Localisation:

Bowling Rambouillet


Site club: bcplaisir.fr



GATEWAY ARCH



DISTANCE:	42 FEET	VOLUME:	25.985 mL
RATIO:	6.58:1	FORWARD:	14.585 mL
DROP BRUSH:	38 FEET	REVERSE:	11.4 mL
TANKS:	ICE	PUMP:	MULTI




FORWARD LOADS DATA

#	START	STOP	LOADS	MICS	SPEED	BUFF	TANK	DISTANCE	T.OIL
1	2L	2R	4	45	18	4	B - ICE	0 → 8	6,660
2	10L	10R	5	45	18	3	B - ICE	8 → 20	4,725
3	11L	11R	1	50	18	3	B - ICE	20 → 23	950
4	12L	12R	1	50	18	3	B - ICE	23 → 25	850
5	13L	13R	1	50	18	3	B - ICE	25 → 28	750
6	14L	14R	1	50	18	3	B - ICE	28 → 30	650
7	2L	2R	0	50	22	3	B - ICE	30 → 37	0
8	2L	2R	0	50	26	2	B - ICE	37 → 42	0

REVERSE LOADS DATA

#	START	STOP	LOADS	MICS	SPEED	BUFF	TANK	DISTANCE	T.OIL
1	13L	13R	2	50	18	3	B - ICE	38 → 33	1,500
2	12L	12R	2	50	18	3	B - ICE	33 → 28	1,700
3	11L	11R	2	45	18	3	B - ICE	28 → 23	1,710
4	10L	10R	2	45	18	3	B - ICE	23 → 18	1,890
5	9L	9R	5	40	14	3	B - ICE	18 → 8	4,600
6	2L	2R	0	40	14	3	B - ICE	8 → 0	0

THIS PATTERN IS DESIGNED FOR:
VARIABLE BUFFER SPEEDS | VARIABLE MICROLITER STREAMS | REVERSE DROP BRUSH
This pattern may require adjustments if using a lane machine that does not have these features



KEGEL PATTERN LIBRARY APP



PATTERNLIBRARY.KEGEL.NET

SCAN QR CODE TO
SHARE AND
DOWNLOAD
THIS PATTERN






TUNGSTEN



DISTANCE:	39 FEET	VOLUME:	25.6 mL
RATIO:	6.25:1	FORWARD:	15.99 mL
DROP BRUSH:	36 FEET	REVERSE:	9.61 mL
TANKS:	TERRAIN & TERRAIN	PUMP:	MULTI





FORWARD LOADS DATA

#	START	STOP	LOADS	MICS	SPEED	BUFF	TANK	DISTANCE	T.OIL
1	2L	2R	2	40	14	3	A-Terrain	0 → 2	2,960
2	6L	6R	2	45	14	3	B-Terrain	2 → 6	2,610
3	8L	8R	3	50	14	3	A-Terrain	6 → 12	3,750
4	10L	10R	3	50	14	3	B-Terrain	12 → 18	3,150
5	12L	12R	2	55	18	3	A-Terrain	18 → 23	1,870
6	13L	13R	2	55	18	3	B-Terrain	23 → 28	1,650
7	2L	2R	0	55	22	3	A-Terrain	28 → 32	0
8	2L	2R	0	55	26	3	B-Terrain	32 → 39	0

REVERSE LOADS DATA

#	START	STOP	LOADS	MICS	SPEED	BUFF	TANK	DISTANCE	T.OIL
1	2L	2R	0	55	30	3	A-Terrain	36 → 32	0
2	12L	12R	2	55	22	3	B-Terrain	32 → 26	1,870
3	10L	10R	2	55	22	3	A-Terrain	26 → 20	2,310
4	8L	8R	2	50	18	3	B-Terrain	20 → 15	2,500
5	6L	6R	1	50	18	3	A-Terrain	15 → 12	1,450
6	2L	2R	1	40	18	3	B-Terrain	12 → 10	1,480
7	2L	2R	0	40	14	3	A-Terrain	10 → 0	0

THIS PATTERN IS DESIGNED FOR:
VARIABLE MICROLITER STREAMS | DUAL CONDITIONING TANKS | REVERSE DROP BRUSH
This pattern may require adjustments if using a lane machine that does not have these features



KEGEL PATTERN LIBRARY APP



PATTERNLIBRARY.KEGEL.NET



SCAN QR CODE TO
SHARE AND
DOWNLOAD
THIS PATTERN






ROUTE 66 V2



DISTANCE:	45 FEET	VOLUME:	23.45 mL
RATIO:	6.25:1	FORWARD:	13.1 mL
DROP BRUSH:	40 FEET	REVERSE:	10.35 mL
TANKS:	KEGEL	PUMP:	50µL



FORWARD LOADS DATA

#	START	STOP	LOADS	MICS	SPEED	BUFF	TANK	DISTANCE	T.OIL
1	2L	2R	3	50	14	3	A - KEGEL	0 → 4	5,550
2	12L	12R	2	50	14	3	A - KEGEL	4 → 8	1,700
3	13L	13R	3	50	18	3	A - KEGEL	8 → 15	2,250
4	14L	14R	3	50	18	3	A - KEGEL	15 → 23	1,950
5	15L	15R	3	50	18	3	A - KEGEL	23 → 31	1,650
6	2L	2R	0	50	26	3	A - KEGEL	31 → 36	0
7	2L	2R	0	50	30	3	A - KEGEL	36 → 45	0

REVERSE LOADS DATA

#	START	STOP	LOADS	MICS	SPEED	BUFF	TANK	DISTANCE	T.OIL
1	2L	2R	0	50	30	3	A - KEGEL	40 → 36	0
2	14L	14R	2	50	22	3	A - KEGEL	36 → 30	1,300
3	13L	13R	2	50	18	3	A - KEGEL	30 → 25	1,500
4	12L	12R	2	50	18	3	A - KEGEL	25 → 20	1,700
5	11L	11R	2	50	18	3	A - KEGEL	20 → 15	1,900
6	10L	10R	2	50	18	3	A - KEGEL	15 → 10	2,100
7	2L	2R	1	50	18	3	A - KEGEL	10 → 7	1,850
8	2L	2R	0	50	14	3	A - KEGEL	7 → 0	0

THIS PATTERN IS DESIGNED FOR:
REVERSE DROP BRUSH

This pattern may require adjustments if using a lane machine that does not have these features

Created Jul 08, 2023



KEGEL PATTERN LIBRARY APP



PATTERNLIBRARY.KEGEL.NET



SCAN QR CODE TO
SHARE AND
DOWNLOAD
THIS PATTERN






RED SQUARE



DISTANCE:	40 FEET	VOLUME:	25.16 mL
RATIO:	1.00:1	FORWARD:	15.725 mL
DROP BRUSH:	35 FEET	REVERSE:	9.435 mL
TANKS:	ICE	PUMP:	MULTI



FORWARD LOADS DATA


#	START	STOP	LOADS	MICS	SPEED	BUFF	TANK	DISTANCE	T.OIL
1	2L	2R	3	50	14	3	B - ICE	0 → 4	5,550
2	2L	2R	2	45	18	3	B - ICE	4 → 9	3,330
3	2L	2R	2	40	18	3	B - ICE	9 → 14	2,960
4	2L	2R	3	35	22	3	B - ICE	14 → 23	3,885
5	2L	2R	0	35	22	3	B - ICE	23 → 32	0
6	2L	2R	0	35	30	2	B - ICE	32 → 40	0

REVERSE LOADS DATA

#	START	STOP	LOADS	MICS	SPEED	BUFF	TANK	DISTANCE	T.OIL
1	2L	2R	0	40	30	1	B - ICE	35 → 23	0
2	2L	2R	3	40	22	3	B - ICE	23 → 14	4,440
3	2L	2R	3	45	14	4	B - ICE	14 → 8	4,995
4	2L	2R	0	45	14	4	B - ICE	8 → 0	0

THIS PATTERN IS DESIGNED FOR:

VARIABLE BUFFER SPEEDS | VARIABLE MICROLITER STREAMS | REVERSE DROP BRUSH
This pattern may require adjustments if using a lane machine that does not have these features



KEGEL PATTERN LIBRARY APP



PATTERNLIBRARY.KEGEL.NET

SCAN QR CODE TO
SHARE AND
DOWNLOAD
THIS PATTERN





OPEN PLAY PATTERN



DISTANCE:	36 FEET	VOLUME:	12.75 mL
RATIO:	8.13:1	FORWARD:	5.95 mL
DROP BRUSH:	36 FEET	REVERSE:	6.8 mL
TANKS:	KEGEL	PUMP:	50µL




FORWARD LOADS DATA

#	START	STOP	LOADS	MICS	SPEED	BUFF	TANK	DISTANCE	T.OIL
1	2L	2R	1	50	18	3	A - Kegel	0 → 0	1,850
2	8L	8R	1	50	18	3	A - Kegel	0 → 3	1,250
3	10L	10R	2	50	18	3	A - Kegel	3 → 8	2,100
4	13L	13R	1	50	18	3	A - Kegel	8 → 10	750
5	2L	2R	0	50	18	3	A - Kegel	10 → 24	0
6	2L	2R	0	50	30	3	A - Kegel	24 → 36	0

REVERSE LOADS DATA

#	START	STOP	LOADS	MICS	SPEED	BUFF	TANK	DISTANCE	T.OIL
1	2L	2R	0	50	30	3	A - Kegel	36 → 26	0
2	15L	15R	1	50	22	3	A - Kegel	26 → 23	550
3	14L	14R	2	50	18	3	A - Kegel	23 → 18	1,300
4	13L	13R	2	50	18	3	A - Kegel	18 → 13	1,500
5	11L	11R	2	50	18	3	A - Kegel	13 → 8	1,900
6	5L	5R	1	50	18	3	A - Kegel	8 → 5	1,550
7	2L	2R	0	50	18	3	A - Kegel	5 → 0	0



KEGEL PATTERN LIBRARY APP



PATTERNLIBRARY.KEGEL.NET

SCAN QR CODE TO
SHARE AND
DOWNLOAD
THIS PATTERN

